

03 STANDARD LINE

13 LIGHT LINE

21 PLUS LINE

27 PRO LINE

33 BOXING LINE

37 WORKOUT LINE

43 GYMNASTIC LINE

49 KIDS LINE

53 NEW CARDIO LINE

WELCOME TO

STREET BARBELL

Street Barbell is a reputable outdoor fitness equipment provider with more than seven years of experience adhering to strict European safety standards. Our products are renowned among both amateurs and professionals and enjoy global demand.


Our distinctive feature is our patented adjustable weight system — a revolutionary innovation that has no analogues.



STANDARD LINE

26 TRAINERS

Advanced equipment with convergent and divergent biomechanics



Watch the video


MB 7.29 Vertical Press



PRODUCT SPECIFICATION

Length	1380	mm
Width	2110	mm
Height	2130	mm
Equipment weight	265	kg
Maximum load	115	kg
User height	140	cm
User age	14	+

TARGET MUSCLES





Patented weight system



Protective pads



Video instructions

Street Barbell Standard Line represents outdoor fitness equipment with variable load of professional level for deep training of all the main muscles of the human body.






MB 7.30 Chest Press

PRODUCT SPECIFICATION

Length	1350 mm
Width	2010 mm
Height	2110 mm
Equipment weight	335 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.32 Reverse Butterfly

PRODUCT SPECIFICATION

Length	1560 mm
Width	1810 mm
Height	2110 mm
Equipment weight	285 kg
Maximum load	95 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.31 Butterfly

PRODUCT SPECIFICATION

Length	1350 mm
Width	1810 mm
Height	2110 mm
Equipment weight	285 kg
Maximum load	95 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.33 Dumbbell set (Light)

PRODUCT SPECIFICATION

Length	1380 mm
Width	2110 mm
Height	2130 mm
Equipment weight	265 kg
Maximum load	115 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.34 Dumbbell set (Heavy)

PRODUCT SPECIFICATION

Length	1450 mm
Width	2360 mm
Height	1100 mm
Equipment weight	265 kg
Maximum load	80 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.38 Lat Pull

PRODUCT SPECIFICATION

Length	1770 mm
Width	1800 mm
Height	2480 mm
Equipment weight	325 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.37 Standing Row

PRODUCT SPECIFICATION

Length	1360 mm
Width	1850 mm
Height	2060 mm
Equipment weight	315 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.39 Biceps Curl

PRODUCT SPECIFICATION

Length	1660 mm
Width	2090 mm
Height	2050 mm
Equipment weight	245 kg
Maximum load	75 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.40 Squat

PRODUCT SPECIFICATION

Length	1800 mm
Width	1900 mm
Height	2020 mm
Equipment weight	345 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.41 Combo Lift

PRODUCT SPECIFICATION

Length	1670 mm
Width	1810 mm
Height	1980 mm
Equipment weight	345 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.42 Overhead Triceps

PRODUCT SPECIFICATION

Length	1320 mm
Width	2070 mm
Height	1850 mm
Equipment weight	335 kg
Maximum load	95 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.43 Leg Curl

PRODUCT SPECIFICATION

Length	1350 mm
Width	2110 mm
Height	1840 mm
Equipment weight	280 kg
Maximum load	115 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.44 Leg Extension

PRODUCT SPECIFICATION

Length	1350 mm
Width	2120 mm
Height	1850 mm
Equipment weight	280 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.46 Rope Pull Down

PRODUCT SPECIFICATION

Length	1540 mm
Width	1810 mm
Height	2430 mm
Equipment weight	250 kg
Maximum load	95 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.45 Standing Glute Press

PRODUCT SPECIFICATION

Length	1680 mm
Width	2110 mm
Height	1780 mm
Equipment weight	372 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.47 Multi Workout Station

PRODUCT SPECIFICATION

Length	3290 mm
Width	1930 mm
Height	2640 mm
Equipment weight	495 kg
Maximum load	25 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.47/1 Roofless Multi Workout Station

PRODUCT SPECIFICATION	
Length	3620 mm
Width	1930 mm
Height	2320 mm
Equipment weight	475 kg
Maximum load	25 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.50 Inner Thigh

PRODUCT SPECIFICATION	
Length	1720 mm
Width	1810 mm
Height	2110 mm
Equipment weight	390 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.49 Outer Thigh

PRODUCT SPECIFICATION	
Length	1920 mm
Width	1810 mm
Height	2110 mm
Equipment weight	390 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.51 Abdominal Crunch

PRODUCT SPECIFICATION	
Length	1480 mm
Width	2120 mm
Height	1920 mm
Equipment weight	293 kg
Maximum load	115 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.52 Converging Chest Press

PRODUCT SPECIFICATION

Length	1350 mm
Width	2150 mm
Height	2110 mm
Equipment weight	365 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.54 Convergent Vertical Press

PRODUCT SPECIFICATION

Length	1350 mm
Width	1980 mm
Height	2090 mm
Equipment weight	280 kg
Maximum load	115 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.53 Divergent Standing Row

PRODUCT SPECIFICATION

Length	1420 mm
Width	2080 mm
Height	2050 mm
Equipment weight	335 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.55 Divergent Lat Pull

PRODUCT SPECIFICATION

Length	1620 mm
Width	1820 mm
Height	2500 mm
Equipment weight	280 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES



MB 7.48 The Roof





Built-in lighting



Protective pads



High-durability plastic

PRODUCT SPECIFICATION

Length	2790 mm
Width	1650 mm
Height	2680 mm
Equipment weight	215 kg

Reliable protection from rain and the scorching sun. Installed individually above each machine, ensuring comfortable training conditions in any weather










LIGHT LINE

22 TRAINERS

With advanced biomechanics and a patented load change system, training is easy and convenient



MB 7.64 Bench Press




Patented angled rails


Protective pads



Video instructions

Watch the video

PRODUCT SPECIFICATION

Length	2420	mm
Width	1400	mm
Height	1320	mm
Equipment weight	420	kg
Maximum load	220	kg
User height	140	cm
User age	14	+

TARGET MUSCLES



The Street Barbell Light series of trainers is designed for the most convenient training, in almost any installation conditions.
Proper movement mechanics, preventing excessive strain on joints and the spine.
Force balancing, ensuring even distribution of pressure across different parts of the machine.






MB 7.61 Combination Exerciser

PRODUCT SPECIFICATION

Length	1800 mm
Width	1750 mm
Height	2350 mm
Equipment weight	150 kg
Backrest tilt angle	120 ⁰
Between the bars	655 mm
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.63 Shoulder Press

PRODUCT SPECIFICATION

Length	1790 mm
Width	1500 mm
Height	1620 mm
Equipment weight	355 kg
Maximum load	135 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.62 AB Bench & Hyperextension

PRODUCT SPECIFICATION

Length	1390 mm
Width	1500 mm
Height	1030 mm
Equipment weight	130 kg
Bench angle press	20 ⁰
Angle of hyperextension	45 ⁰
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.65 Squat

PRODUCT SPECIFICATION

Length	1880 mm
Width	1450 mm
Height	1610 mm
Equipment weight	390 kg
Maximum load	220 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.66 Combo Lift (Dead Lift)

PRODUCT SPECIFICATION

Length	2050 mm
Width	1410 mm
Height	1380 mm
Equipment weight	390 kg
Maximum load	220 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.68 Multi Bar

PRODUCT SPECIFICATION

Length	2120 mm
Width	1350 mm
Height	1680 mm
Equipment weight	295 kg
Maximum load	115 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.67 Seated Dips

PRODUCT SPECIFICATION

Length	2670 mm
Width	1560 mm
Height	980 mm
Equipment weight	310 kg
Maximum load	115 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.69 Pull Down Bar

PRODUCT SPECIFICATION

Length	1410 mm
Width	1350 mm
Height	1640 mm
Equipment weight	160 kg
Maximum load	40 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.70 Seated Row

PRODUCT SPECIFICATION

Length	2090 mm
Width	1670 mm
Height	1440 mm
Equipment weight	240 kg
Maximum load	75 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.72 Dumbell Set (Heavy)

PRODUCT SPECIFICATION

Length	2130 mm
Width	2120 mm
Height	1090 mm
Equipment weight	200 kg
Dumbbell weight	14 kg 16 kg 20 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.71 Dumbell Set (Light)

PRODUCT SPECIFICATION

Length	2130 mm
Width	2120 mm
Height	1090 mm
Equipment weight	160 kg
Dumbbell weight	8 kg 10 kg 12 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.74 Leg Press

PRODUCT SPECIFICATION

Length	2430 mm
Width	1770 mm
Height	1530 mm
Equipment weight	400 kg
Maximum load	140 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.75 Incline Bench Press at a 45-Degree Angle

PRODUCT SPECIFICATION

Length	2010 mm
Width	1500 mm
Height	1750 mm
Equipment weight	375 kg
Maximum load	135 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.79 Flat Bench Press

PRODUCT SPECIFICATION

Length	2920 mm
Width	1350 mm
Height	1780 mm
Equipment weight	440 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.76 Leg Extension

PRODUCT SPECIFICATION

Length	1490 mm
Width	1780 mm
Height	1280 mm
Equipment weight	260 kg
Maximum load	60 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.85 Glute Bridge

PRODUCT SPECIFICATION

Length	1860 mm
Width	1740 mm
Height	1240 mm
Equipment weight	316 kg
Maximum load	50 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.86 Pendulum Squat

PRODUCT SPECIFICATION

Length	1960 mm
Width	1980 mm
Height	1880 mm
Equipment weight	440 kg
Maximum load	140 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.88 Adjustable Hyperextension Machine

PRODUCT SPECIFICATION

Length	1730 mm
Width	1350 mm
Height	1170 mm
Equipment weight	125 kg
Maximum load	20 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.87 Leg Curl Machine

PRODUCT SPECIFICATION

Length	1550 mm
Width	1560 mm
Height	1000 mm
Equipment weight	200 kg
Maximum load	30 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.89 Seated Leg Curl Machine

PRODUCT SPECIFICATION

Length	1480 mm
Width	1560 mm
Height	1350 mm
Equipment weight	210 kg
Maximum load	30 kg
User height	140 cm
User age	14 +

TARGET MUSCLES




MB 7.73 Assisted Pull-Ups + Triceps Dips



PRODUCT SPECIFICATION

Length	2640	mm
Width	1750	mm
Height	2340	mm
Equipment weight	206	kg
Maximum counterweight	80	kg
User height	140	cm
User age	14	+

TARGET MUSCLES





Patented weight system



Anti-slip steps




Counterweight



PLUS LINE

9 TRAINERS

Engineered to accommodate the specific needs of wheelchair users



Watch the video


MB 7.29.3 Shoulder Press



PRODUCT SPECIFICATION

Length	1800	mm
Width	1580	mm
Height	1750	mm
Equipment weight	378	kg
Maximum load	87,5	kg
User height	140	cm
User age	14	+


TARGET MUSCLES



These exercise machines are uniquely designed with a non-removable folding seat, allowing wheelchair users to train comfortably.



Patented weight system



Folding seat



Video instructions






MB 7.30.3 Chest Press

PRODUCT SPECIFICATION

Length	1800 mm
Width	1580 mm
Height	1830 mm
Equipment weight	318 kg
Maximum load	87,5 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.37.3 Row

PRODUCT SPECIFICATION

Length	1700 mm
Width	1580 mm
Height	2000 mm
Equipment weight	338 kg
Maximum load	87,5 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.31.3 Butterfly

PRODUCT SPECIFICATION

Length	1830 mm
Width	1580 mm
Height	1980 mm
Equipment weight	358 kg
Maximum load	87,5 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.38.3 Lat Pull

PRODUCT SPECIFICATION

Length	1740 mm
Width	1580 mm
Height	2100 mm
Equipment weight	368 kg
Maximum load	87,5 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.39.3 Biceps Curl

PRODUCT SPECIFICATION

Length	1580 mm
Width	1580 mm
Height	1830 mm
Equipment weight	358 kg
Maximum load	87,5 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.47.3 Multi Trainer

PRODUCT SPECIFICATION

Length	2020 mm
Width	1470 mm
Height	2150 mm
Equipment weight	140 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.42.3 Triceps

PRODUCT SPECIFICATION

Length	1820 mm
Width	1580 mm
Height	1830 mm
Equipment weight	496 kg
Maximum load	87,5 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.56.3 Incline Chest Press

PRODUCT SPECIFICATION

Length	1820 mm
Width	1580 mm
Height	2000 mm
Equipment weight	377 kg
Maximum load	87,5 kg
User height	140 cm
User age	14 +

TARGET MUSCLES









DISCOVER THE UNIQUENESS THAT SETS US APART

Street Barbell's primary uniqueness lies in our exclusive adjustable weight feature, making outdoor training accessible and customizable for users of all fitness levels.

In 2016, our StreetBarbell machines with variable loads were nominated for the Innovation Award at FIBO, Europe's largest sports industry and fitness exhibition held in Cologne, Germany. The same year, StreetBarbell machines earned a spot in the Top 10 Fitness Trends in Europe, as recognized by the German magazine BILD.de.



PRO LINE

12 TRAINERS

Advanced trainers with cutting-edge technology and precise biomechanics for maximum efficiency, comfort, and durability




MB 7.90 Adjustable Resistance Multi-Station



PRODUCT SPECIFICATION

Length	2900	mm
Width	1730	mm
Height	1990	mm
Equipment weight	505	kg
Maximum load	270	kg
User height	140	cm
User age	14	+

TARGET MUSCLES





Patented weight system



Easy adjustment



Instructions

The Street Barbell Pro series of trainers is designed for maximum efficiency and durability, ensuring reliable performance in any installation conditions.
Durability and stability of the machine even under heavy loads.






MB 7.94 Adjustable Hyperextension Bench

PRODUCT SPECIFICATION

Length	1970 mm
Width	1750 mm
Height	1580 mm
Equipment weight	300 kg
Maximum load	12,5 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.96 Pullover

PRODUCT SPECIFICATION

Length	1930 mm
Width	1960 mm
Height	1380 mm
Equipment weight	450 kg
Maximum load	120 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.95 Bench Press with U-Shaped Bar

PRODUCT SPECIFICATION

Length	2250 mm
Width	1820 mm
Height	1430 mm
Equipment weight	430 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.98 Triceps Rope Pushdown

PRODUCT SPECIFICATION

Length	1700 mm
Width	1350 mm
Height	1760 mm
Equipment weight	320 kg
Maximum load	115 kg
User height	140 cm
User age	14 +

TARGET MUSCLES








MB 7.100 Crossover

PRODUCT SPECIFICATION

Length	5120 mm
Width	1350 mm
Height	2340 mm
Equipment weight	790 kg
Maximum load	115x2 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.101 Horizontal Pull

PRODUCT SPECIFICATION

Length	2900 mm
Width	1350 mm
Height	2220 mm
Equipment weight	460 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.102 Vertical Pull

PRODUCT SPECIFICATION

Length	2130 mm
Width	1350 mm
Height	2270 mm
Equipment weight	450 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.103 Inclined Leverage Row

PRODUCT SPECIFICATION

Length	2140 mm
Width	1350 mm
Height	1840 mm
Equipment weight	390 kg
Maximum load	155 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.108 Seated Row

PRODUCT SPECIFICATION

Length	2095 mm
Width	1670 mm
Height	1440 mm
Equipment weight	245 kg
Maximum load	195 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.113 Cable Machine

PRODUCT SPECIFICATION

Length	2060 mm
Width	1350 mm
Height	2380 mm
Equipment weight	430 kg
Maximum load	115 kg
User height	140 cm
User age	14 +

TARGET MUSCLES







SAFE TRAINING VIDEO GUIDE

Our trainers are reliable and safe, with clear and accessible guidance.

Street Barbell trainers are equipped with information signs with exercise options, safety recommendations and manufacturer contact information for inquiries.

As well as QR codes that lead users to YouTube video lessons from professional trainers.

BOXING LINE



3 TRAINERS

Reinforced design and impact-resistant materials ensure durability, safety, and comfort

MB 7.91 Heavy punching bag stand





Weather-resistant materials



Stable construction



Designed for impact training

PRODUCT SPECIFICATION

Length	2180	mm
Width	1550	mm
Height	2540	mm
Equipment weight	140	kg
Bag size:		
Length	340	mm
Width	340	mm
Height	1650	mm
Equipment weight	40	kg
User height	140	cm
User age	16	+

The Street Barbell Boxing series is a set of popular boxing shells – bags, punch balls, various pillows for practicing punches.
Boxing bags are specially designed for outdoor use.
Reinforced PVC fabric is resistant to the environmental influence, has special elasticity and perfectly retains its properties at temperatures from -30 to +70 degrees.



MB 7.92 Heavy Punching Bag Stand

PRODUCT SPECIFICATION

Length	2180 mm
Width	1550 mm
Height	2540 mm
Equipment weight	140 kg

Bag size:

Length	590 mm
Width	590 mm
Height	850 mm
Weight	40 kg

User height	140 cm
User age	16 +



MB 7.93 Multi Station Punching Bag Stand

PRODUCT SPECIFICATION


Length	4100 mm
Width	4100 mm
Height	2750 mm
Equipment weight	510 kg

Bags size:

Length	340	590	340 mm
Width	340	590	340 mm
Height	1650	850	1650 mm
Weight	40	40	15 kg


User height	140 cm
User age	16 +




STREET BARBELL
OUTDOOR STRENGTH EQUIPMENT
EASY TO INSTALL & EASY TO USE
LIGHT




WORKOUT LINE



19 TRAINERS

A combination of innovation, reliability, and convenience for effective training in any environment

MB 7.60/1 Horizontal ladder (Type A)



PRODUCT SPECIFICATION

Length	10220	mm
Width	5970	mm
Height	2520	mm
Equipment weight	1186	kg
User height	140	cm
User age	14	+

The Street Workout Line includes a set of crossbars, bars, handlebars, wall bars and other elements for pull-ups and push-ups.
The complex was developed together with the worldwide workout founders and includes everything necessary for training fans of this type of street sports.



Reliable fastenings



Durable handrails



Steel posts






MB 7.60/2 Horizontal ladder (Type B)

PRODUCT SPECIFICATION

Length	10220 mm
Width	4650 mm
Height	2520 mm
Equipment weight	671 kg
User height	140 cm
User age	14 +



MB 7.60/3 Horizontal ladder (Type C)

PRODUCT SPECIFICATION


Length	10220 mm
Width	1720 mm
Height	2520 mm
Equipment weight	568 kg
User height	140 cm
User age	14 +



MB 7.60/4 Wall Bars

PRODUCT SPECIFICATION

Length	5700 mm
Width	1720 mm
Height	2520 mm
Equipment weight	540 kg
User height	140 cm
User age	14 +



MB 7.60/5 Low level Parallel Bars

PRODUCT SPECIFICATION

Length	1720 mm
Width	1040 mm
Height	470 mm
Equipment weight	68 kg
User height	140 cm
User age	14 +



MB 7.60/6 Parallel Bars

PRODUCT SPECIFICATION

Length	2420 mm
Width	1040 mm
Height	1620 mm
Equipment weight	82 kg
User height	140 cm
User age	14 +



MB 7.60/7 Australian Pull Up Bars

PRODUCT SPECIFICATION

Length	1730 mm
Width	400 mm
Height	1620 | 1070 | 470 mm
Equipment weight	134 kg
User height	140 cm
User age	14 +



MB 7.60/8 Pull Up Bars Set

PRODUCT SPECIFICATION

Length	3050 mm
Width	3050 mm
Height	2520 mm
Equipment weight	382 kg
User height	140 cm
User age	14 +



MB 7.60/9 Uneven Pull Up and Parallel Bars

PRODUCT SPECIFICATION


Length	2420 mm
Width	2220 mm
Height	2520 mm
Equipment weight	166 kg
User height	140 cm
User age	14 +



MB 7.60/10 Combined Wall, Pull and Parallel Bars

PRODUCT SPECIFICATION

Length	3740 mm
Width	2220 mm
Height	2520 mm
Equipment weight	200 kg
User height	140 cm
User age	14 +



MB 7.60/11 Horizontal ladder (Type D)

PRODUCT SPECIFICATION

Length	4650 mm
Width	1720 mm
Height	2520 mm
Equipment weight	230 kg
User height	140 cm
User age	14 +



MB 7.60/12 Combined Horizontal Ladder, Wall And Uneven Pull Up

PRODUCT SPECIFICATION


Length	6580 mm
Width	1900 mm
Height	2520 mm
Equipment weight	320 kg
User height	140 cm
User age	14 +



MB 7.60/13 Horizontal ladder (Type E)

PRODUCT SPECIFICATION

Length	3320 mm
Width	1720 mm
Height	2520 mm
Equipment weight	140 kg
User height	140 cm
User age	14 +



MB 7.60/14 Horizontal ladder (Type F)

PRODUCT SPECIFICATION

Length	6250 mm
Width	1720 mm
Height	2520 mm
Equipment weight	254 kg
User height	140 cm
User age	14 +



MB 7.60/15 Combined Pull Up and Wall Bars

PRODUCT SPECIFICATION

Length	1720 mm
Width	1720 mm
Height	2520 mm
Equipment weight	135 kg
User height	140 cm
User age	14 +



MB 7.60/16 Horizontal ladder (Type G)

PRODUCT SPECIFICATION

Length	4650 mm
Width	1720 mm
Height	2520 mm
Equipment weight	266 kg
User height	140 cm
User age	14 +



MB 7.60/17 Horizontal ladder (Type H)

PRODUCT SPECIFICATION

Length	6670 mm
Width	1720 mm
Height	2520 mm
Equipment weight	340 kg
User height	140 cm
User age	14 +



MB 7.60/18 Three Level Pull Up Bars

PRODUCT SPECIFICATION

Length	3050 mm
Width	1720 mm
Height	2520 mm
Equipment weight	136 kg
User height	140 cm
User age	14 +



MB 7.60/19 Wall Bars

PRODUCT SPECIFICATION

Length	3050 mm
Width	1720 mm
Height	2520 mm
Equipment weight	155 kg
User height	140 cm
User age	14 +

STREET BARBELL GROUP

Crafted for Endurance

Despite their seemingly simple design, outdoor trainers require elevated standards of reliability and safety due to their exposure to harsh outdoor conditions, including weather, vandalism, and minimal maintenance.

Street Barbell's commitment to quality is evident in our choice of materials, including robust rubberized steel discs and one-piece steel pipes. Our trainers are equipped with sealed bearings, the backs and seats are made of high-strength polyurethane.



GYMNASTIC LINE

17 TRAINERS

Ideal for workouts, stretching, warm-ups, muscle toning, and cardio training



MB 7.02 Walker





Non-slip Pedal



Maintenance-free sealed bearings




Ergonomic handles

PRODUCT SPECIFICATION

Length	1210	mm
Width	550	mm
Height	1320	mm
Equipment weight	64	kg
User height	140	cm
User age	14	+

TARGET MUSCLES



Gymnastic Line– bodyweight fitness equipment using as well aerobic load. They are perfect for worksout, stretching, warming up before performing more complex physical exercises, for maintaining muscle tone and cardio training. Due to their biomechanics, they do not load the joints and can be used by people of different age and levels of physical fitness.






MB 7.03 Combined Pull Down and Leg Raise Station

PRODUCT SPECIFICATION

Length	1530 mm
Width	1220 mm
Height	1890 mm
Equipment weight	90 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.04 Rider

PRODUCT SPECIFICATION

Length	1230 mm
Width	750 mm
Height	1280 mm
Equipment weight	45 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.05 Combined Exerciser

PRODUCT SPECIFICATION

Length	1030 mm
Width	1200 mm
Height	2410 mm
Equipment weight	56 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.06 Leg Press

PRODUCT SPECIFICATION

Length	1800 mm
Width	440 mm
Height	1700 mm
Equipment weight	65 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.07 Pendulum

PRODUCT SPECIFICATION

Length	1030 mm
Width	750 mm
Height	1420 mm
Equipment weight	60 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.08 Stepper

PRODUCT SPECIFICATION

Length	1050 mm
Width	750 mm
Height	1570 mm
Equipment weight	74 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.09 Twister

PRODUCT SPECIFICATION

Length	1330 mm
Width	460 mm
Height	1290 mm
Equipment weight	46 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.10 Rower

PRODUCT SPECIFICATION

Length	1390 mm
Width	880 mm
Height	800 mm
Equipment weight	56 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.11 Ski Walker

PRODUCT SPECIFICATION

Length	770 mm
Width	570 mm
Height	1510 mm
Equipment weight	60 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.13 Sit Up Bench Hyperextension

PRODUCT SPECIFICATION

Length	1190 mm
Width	1370 mm
Height	910 mm
Equipment weight	73 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.14 Inverse Hyperextension

PRODUCT SPECIFICATION

Length	780 mm
Width	600 mm
Height	1080 mm
Equipment weight	40 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.15 Parallel Bars

PRODUCT SPECIFICATION

Length	1330 mm
Width	880 mm
Height	1360 mm
Equipment weight	76 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.22 Legs Spreading

PRODUCT SPECIFICATION

Length	1140 mm
Width	490 mm
Height	1430 mm
Equipment weight	68 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.23 Chest Press

PRODUCT SPECIFICATION

Length	1540 mm
Width	1060 mm
Height	2130 mm
Equipment weight	122 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.24 Abdominal On The Swing

PRODUCT SPECIFICATION

Length	970 mm
Width	1510 mm
Height	1640 mm
Equipment weight	110 kg
Maximum load	15 kg
User height	140 cm
User age	14 +

TARGET MUSCLES






MB 7.26 Lat Pull Down

PRODUCT SPECIFICATION

Length	1840 mm
Width	1190 mm
Height	1890 mm
Equipment weight	101 kg
User height	140 cm
User age	14 +

TARGET MUSCLES







PRIORITIZING SAFETY: OUR FOUNDATIONAL COMMITMENT

Safety is a paramount concern for our outdoor trainers. It involves both technological design and biomechanics.

During the design phase, factors like angles, grip placement, components, and structural elements are carefully considered in relation to user activities. A well-designed trainer should prevent user injuries and premature malfunctions.

Street Barbell, with its expertise and technological capabilities, produces reliable and safe trainers. Our trainers undergo rigorous testing, and we collaborate with TÜV THÜRINGEN experts to ensure they meet the highest safety and quality standards.

Zertifiziert durch / certified by
TÜV THÜRINGEN
ID 3510.02586.201
www.tuev-thueringen.de
Mechanical Safety tested
DIN EN 16630
Dimensions
Structural strength
Design
Production supervised

KIDS LINE

7 TRAINERS

The equipment is safe for kids, suitable for stretching, cardio and sports activities



MB 7.02 Walker For Kids





Non-slip Pedal



Maintenance-free sealed bearings




Ergonomic handles

PRODUCT SPECIFICATION

Length	1000	mm
Width	425	mm
Height	920	mm
Equipment weight	64	kg
User height	100	cm
User age	6	+

TARGET MUSCLES



The Kids Line is a bodyweight and aerobic fitness equipment for children.
Equipment have reduced dimensions, and their biomechanics take into account the anatomical features of small athletes. Trainers are safe for children, and they are perfect for workouts, stretching, warming up, maintaining muscle tone and cardio training.






MB 7.06.1 Leg Press For Kids

PRODUCT SPECIFICATION	
Length	1340 mm
Width	370 mm
Height	1220 mm
Equipment weight	65 kg
User height	100 cm
User age	6 +

TARGET MUSCLES






MB 7.07.1 Pendulum For Kids

PRODUCT SPECIFICATION	
Length	1000 mm
Width	510 mm
Height	1030 mm
Equipment weight	47 kg
User height	100 cm
User age	6 +

TARGET MUSCLES






MB 7.08.1 Stepper For Kids

PRODUCT SPECIFICATION	
Length	780 mm
Width	560 mm
Height	1150 mm
Equipment weight	53 kg
User height	100 cm
User age	6 +

TARGET MUSCLES






MB 7.09.1 Twister For Kids

PRODUCT SPECIFICATION	
Length	1030 mm
Width	340 mm
Height	850 mm
Equipment weight	32 kg
User height	100 cm
User age	6 +

TARGET MUSCLES






MB 7.11.1 Ski Walker For Kids

PRODUCT SPECIFICATION	
Length	630 mm
Width	530 mm
Height	1070 mm
Equipment weight	55 kg
User height	100 cm
User age	6 +

TARGET MUSCLES






MB 7.22.1 Legs Spreading For Kids

PRODUCT SPECIFICATION	
Length	920 mm
Width	370 mm
Height	1100 mm
Equipment weight	60 kg
User height	100 cm
User age	6 +

TARGET MUSCLES





STREET BARBELL GROUP

StreetBarbell Coating Systems

StreetBarbell utilizes three advanced coating methods to ensure superior durability, corrosion resistance, and mechanical protection for metal components.

1. Hot Dip Galvanization System

The hot dip galvanization process forms a robust zinc protective layer, providing exceptional resistance to corrosion and mechanical damage. This process involves submerging metal in molten zinc, creating a long-lasting anti-corrosion coating.

Advantages:

- High resistance to corrosion and oxidation.
- Strong adhesion and protection against mechanical damage.
- Self-healing properties for minor scratches and abrasions.
- Minimal maintenance requirements.

Processing Steps:

1. Metal preparation and shot blasting for surface cleaning.
2. Immersion in molten zinc to form a durable coating.
3. Surface grinding for a uniform finish.
4. Final powder coating application for enhanced aesthetics and additional protection.



2. Powder Coating System

The powder coating process provides a smooth, wear-resistant finish that protects metal components from external elements while maintaining an attractive appearance.

Coating Specifications:

- Applied at a thickness of 200 microns and above.
- Resistant to chipping, wear, and UV exposure.

Processing Steps:

1. Sandblasting to remove impurities and ensure strong adhesion.
2. Surface degreasing and application of a high-zinc primer for enhanced corrosion resistance.
3. Application of multiple layers of powder coating for a uniform and durable finish.



3. Thermoplastic Coating System

The thermoplastic coating process creates a flexible yet highly durable protective layer, resistant to impacts, chemicals, and environmental exposure.

Advantages:

- Exceptional durability and resistance to mechanical stress.
- Non-porous barrier against moisture, chemicals, and oxidation.
- Environmentally friendly: solvent-free and recyclable.

Processing Steps:

1. Shot blasting and degreasing for surface preparation.
2. Preheating the metal to improve powder adhesion.
3. Application of thermoplastic powder using electrostatic or fluidized bed techniques.
4. Post-baking (if necessary) to ensure full bonding and durability.


With these advanced coating methods, StreetBarbell guarantees superior reliability, longevity, and protection for metal components in any application.





NEW CARDIO LINE





Design as an identity

The new recumbent bike is the result of a collaboration with Ciclotte and designer Luca Schieppati, combining unique style and innovative solutions.

The design incorporates key aesthetic elements from the current Ciclotte model, maintaining its signature exclusivity.

The frame consists of two side sections and features an open circular shape, emphasizing the elegance of the construction.

The pedals follow the original concept: they are enlarged and reinforced to withstand any stress in outdoor conditions.

The grip profile reflects Ciclotte’s distinctive style, while the analogous base structure reinforces the brand’s recognizable identity.

Recumbent Bike











UPRIGHT BIKE









STREET BARBELL – OUTDOOR FITNESS FOR THE WHOLE FAMILY


STREET BARBELL
OUTDOOR STRENGTH EQUIPMENT
EASY TO INSTALL & EASY TO USE
LIGHT